Adjustable Bracket for Starlink Gen 3 Pipe Adapter, Roof/Wall Mount for Starlink, V3-starlink Bracket

Basic Information

TIANPIN • Brand Name: Model Number: Starlink V3 Minimum Order Quantity: 100 • Price: \$8.14

• Packaging Details: 43*16*11mm carton • Delivery Time: 15-20 days • Payment Terms: L/C, D/P, T/T • Supply Ability: 50000 sets monthly



Product Specification

• Product Name: Starlink V3 Mounting Kit

Material: Carbon Steel

• Usage: Satellite Internet Antenna Bracket System

· Color: Black 43*16*11mm • Package Size: . Weight: 2,2kgs • Sample: Available

• Logo: Customized Logo Available

Screws: Equipped With Screws And Installation Tools

Customized Package Availble • Package: • Highlight: Starlink Gen 3 pipe adapter bracket, adjustable Starlink roof mount,


wall mount bracket for Starlink V3



More Images











Product Description

Adjustable Bracket for Starlink Gen 3 Pipe Adapter, Roof/Wall Mount for Starlink, V3-starlink **Bracket**

Starlink Antenna V3 Mount Bracket Kit with 360° Rotatable Joints and Steel Base

Standard Starlink Gen3 V3 Bracket Suit Item



Material	Carbon Steel
Color	Black
Screw	Equipped with Screws and Installation Tools
Compatible Devices	Metal Bracket For Starlink Gen 3







About This Starlink Bracket Suit

Well Fit: Designed for the Starlink V3 dish antenna, it easily attaches to poles with diameters from 1 inch (25mm) to 2.1 inches (53mm), ensuring stable and reliable signal reception.

Flexible Adjustment: Featuring 360-degree rotation and 20° tilt, extend the socket by an additional 70mm to ensure the dish antenna is always accurately positioned at the pole's zenith for optimal signal reception.

Secure Fastening: Equipped with 12 screws and a hex key, the 6 screws form a stable triangular structure, ensuring greater stability and facilitating alignment during installation.

Robust Support: Made from integrated die-casting with aluminum alloy, it is sturdier than plastic or iron alternatives, boasting a high load capacity of up to 550 pounds, remaining secure even in extreme weather.

Easy Installation: Simply insert the Gen3 bracket into the antenna slot, attach the pole to the pipeline adapter, and tighten the screws. Screw tightness can be adjusted according to the pole's size.

Factory production | Available for immediate purchase | Delivery on schedule



Dongguan Tianpin Hardware Technology Co., Ltd.



+86 010 62574092



sales@tampin-metal.com (e) tampin-metal.com



Rm. 1208, Building D, Taihua Longqi Square, Changping Dist., Beijing, China